## Application of Differential Scanning Calorimetry to Evaluate Thermal Properties and Study of Microstructure of Biodegradable Films

## M. A. Aguilar-Méndez · E. San Martin-Martínez · L. Ortega-Arroyo · A. Cruz-Orea

Received: 15 October 2008 / Accepted: 1 April 2010 / Published online: 18 April 2010 © Springer Science+Business Media, LLC 2010

**Abstract** The glass transition temperature  $(T_g)$  and melting temperature  $(T_m)$  of gelatin–starch films were determined using differential scanning calorimetry. Also, the microstructure was observed using scanning electron microscopy (SEM) and the crystalline structure by means of X-ray diffraction (XRD). The effect of starch and glycerol concentrations in films on the thermal properties was evaluated through response surface methodology (RSM). The highest values of  $T_m$  were obtained at starch concentration intervals of (0.26 to 0.54) %w/w and glycerol concentrations lower than 0.5 (%w/w). On the other hand, the  $T_g$  values diminished as the glycerol concentration increased. Mathematical models for both transitions were fitted to the experimental data. The micrographs obtained by SEM show the influence of glycerol in the microstructure of the films, being more "gummy" as the content of the plasticizer increased. The XRD patterns of the films demonstrate the existence of some pseudo-crystalline regions in the biodegradable materials.

**Keywords** Biodegradable films · DSC · SEM · XRD

## 1 Introduction

The development and characterization of biodegradable films have increasingly attracted the attention of many scientists, mainly due to the large variety of applications

Centro de Investigación en Ciencia Aplicada y Tecnología Avanzada del IPN, Legaria 694, Col. Irrigación, CP 11500, México DF, México e-mail: esanmartin@ipn.mx

A. Cruz-Orea

M. A. Aguilar-Méndez · E. S. Martin-Martínez (🖂) · L. Ortega-Arroyo

Departamento de Física, Cinvestav-IPN, Av. Politécnico Nacional 2508, Colonia San Pedro Zacatenco, CP 07360, México DF, México